



ZHEHENG STEEL

Wenzhou Zheheng Steel Industry Co.,Ltd
stainless-steelseamlesspipe.com



Astm 1 Inch Stainless Steel Seamless Pipe , 100mm Diameter Stainless Steel Metal Pipe

Our Product Introduction

for more products please visit us on stainless-steelseamlesspipe.com

Basic Information

- Place of Origin: CHINA
- Brand Name: zheheng
- Certification: ISO9001 PED
- Model Number: 1inch--10inch
- Minimum Order Quantity: Negotiable
- Price: Negotiable
- Packaging Details: In bundles with waterproof material, or wooden crate packing
- Delivery Time: 30 DAYS
- Payment Terms: L/C, T/T, D/A, D/P
- Supply Ability: 50TONS/30DAYS



Product Specification

- Material: TP304 ,tp316l
- Standard: ASTM A312
- Shape: Round Shape
- Technique: Seamless
- Application: Doors And Windows
- Package: Woven Packing
- Highlight: 304 stainless steel seamless tubing, ss seamless pipe



More Images



Product Description

1 inch / 1.25 / 1.5 inch / 10 foot / 10 inch / 100mm / 12 inch diameter ss metal stainless steel pipe for sale

Astm 1 Inch Stainless Steel Seamless Pipe , 100mm Diameter Stainless Steel Metal Pipe

zheheng steel is a professional producer in tp304, tp316l seamless stainless steel pipes ,we are regulary stocked 1 inch / 1.25 / 1.5 inch / 10 foot / 10 inch / 100mm / 12 inch diameter ss metal stainless steel pipe houdreds tons,

The stainless steel seamless pipe has an inner diameter of 6.0mm or more and an annealed stainless steel tube with a wall thickness of 13mm or less. It can be a W-B75 type Vickers hardness tester. It is very fast and simple to test and is suitable for rapid and non-destructive inspection of stainless steel pipes. The stainless steel tube with an inner diameter of more than 30 mm and a wall thickness of more than 1.2 mm is tested by a Rockwell hardness tester to test the hardness of HRB and HRC. Stainless steel tubes with an inner diameter of more than 30 mm and a wall thickness of less than 1.2 mm are tested with a surface Rockwell hardness tester to test HRT or HRN hardness.

and

Grades :201,202,303,304,304L,310,310S,316,316L,316Ti,321,430,431,410,420, etc

Lenght :5.8-6m or as customers' request.

Thickness :1mm~70mm

Outer Diameter :6mm-630mm

Surface :Matt, 2B, BA, 4k, 180G,320G,400G,600G,800G polishing,mirror finish

technology :Cold drawn; Cold rolled; Hot rolled.Hot drawn

Packing :Common Standard Export-sea Packing : Each bundle is fixed at lest three times strips , wrapped with durable PVC material or as customized

Applications :

Foodstuff, gas, metallurgy, biology, electron, chemical, petroleum, boilers, nuclear, energy, construction field, ships building industry, war and electricity industry, boiler heat exchanger, machiner and hardware fields and medical equipment, fertilizer, etc

Chemical Composition about stainless steel pipe :

Grade	C ≤	Si ≤	Mn ≤	P ≤	S ≤	Ni ≤	Cr ≤
201	0.12	0.75	7.00	0.045	0.045	1.00-1.28	13.70-15.70
202	0.15	1	2.25	0.045	0.045	4.07-4.17	14.00-16.00
304	0.08	0.75	2	0.045	0.03	8.00-11.00	18.00-20.00
304L	0.035	0.75	2	0.045	0.03	8.00-13.00	18.00-20.00
309	0.15	0.75	2	0.045	0.03	12.00-15.00	22.00-24.00
310S	0.08	1.5	2	0.045	0.03	19.00-22.00	24.00-26.00

Stainless steel pipe dimentions

Dimensions for ASME/ANSI Standards													Unit:m m
										B16.9	B16.28	B36.10	
Nominal pipe Size(NP S)	Outside Diameter			Nominal Wall Thickness									
				Sch5 s	SCH1 0S	Sch2 0	Sch3 0	Sch4 0	ST D	Sch8 0	XS	Sch16 0	XXS
8	1/4	13.7	0.54	-	1.65	-	1.85	2.24	2.24	3.02	3.02	-	-
10	3/8	17.1	0.675	-	1.65	-	1.85	2.31	2.31	3.20	3.20	-	-
15	1/2	21.3	0.84	1.65	2.11	-	2.41	2.77	2.77	3.73	3.73	4.78	7.47
20	3/4	26.7	1.05	1.65	2.11	-	2.41	2.87	2.87	3.91	3.91	5.56	7.82
25	1	33.4	1.32	1.65	2.77	-	2.90	3.38	3.38	4.55	4.55	6.35	9.09
32	1.1/ 4	42.2	1.66	1.65	2.77	-	2.97	3.56	3.56	4.85	4.85	6.35	9.70
40	1.1/ 2	48.3	1.90	1.65	2.77	-	3.18	3.68	3.68	5.08	5.08	7.14	10.15
50	2	60.3	2.38	1.65	2.77	-	3.18	3.91	3.91	5.54	5.54	8.74	11.07
65	2.1/ 2	73.0	2.88	2.11	3.05	-	4.78	5.16	5.16	7.01	7.01	9.53	14.02
80	3	88.9	3.50	2.11	3.05	-	4.78	5.49	5.49	7.62	7.62	11.13	15.24
90	3.1/ 2	101.6	4.00	2.11	3.05	-	4.78	5.74	5.74	8.08	8.08	-	-
100	4	114.3	4.50	2.11	3.05	-	4.78	6.02	6.02	8.56	8.56	13.49	17.12
125	5	141.3	5.56	2.77	3.40	-	-	6.55	6.55	9.53	9.53	15.88	19.05
150	6	168.3	6.62	2.77	3.40	-	-	7.11	7.11	10.9 7	10.9 7	18.26	21.96

200	8	219.1	8.62	2.77	3.76	6.35	7.04	8.18	8.18	12.7 0	12.7 0	23.01	22.23
250	10	273.0	10.75	3.40	4.19	6.35	7.80	9.27	9.27	15.0 9	12.7 0	28.58	25.40
300	12	323.8	12.75	3.96	4.57	6.35	8.38	10.1 3	9.53	17.4 8	12.7 0	33.32	25.40
350	14	355.6	14	3.96	4.78	7.92	9.53	11.1 3	9.53	19.0 5	12.7 0	35.71	-
400	16	406.4	16	4.19	4.78	7.92	9.53	12.7 0	9.53	21.4 4	12.7 0	40.49	-

Our product show :



ZHEHENG STEEL

Wenzhou Zheheng Steel Industry Co.,Ltd



15858820108



sales@zhehengsteel.com



stainless-steelseamlesspipe.com

No999 .wenzhou airport wenzhou city,zhejiang china